

4x4 Inch Cobblestone

Premium Natural Stone Paving Solution • Export Quality • Direct from Mines



What is a Cobble Stone?

A cobble stone is a naturally quarried, cutstone block used for outdoor paving. Its compact squareform provides superior structural integrity compared to concrete alternatives, making it one of the oldest and most reliable paving materials across the world.

Why 4-Inch Square Cobbles?

The 4 inch (100 ×100 mm) square format is a globally recognized paving solution valued for its versatility, durability, and aesthetic appeal. Its compact geometry enables efficient installation, uniform joint alignment, and a refined architectural finish, making it a preferred choice for international markets trusted by global projects across different sectors

Benefits at a Glance

- Natural material with indefinite lifespan
- Withstands heavy foot traffic and vehicular loads
- Naturally slip-resistant surface
- Low maintenance, no recoating required
- Environmentally sustainable —100% natural
- Enhances property value and curb appeal



Product Overview



Product Name
4x4 Inch Square Cobble

Nominal Size
4" x4"
(100 ×100 mm approx.)
(10 x 10 cm approx.)

Shape
Square

Material
Natural Stone

Option	Available Values
Thickness	25 mm 50 mm
Finish	Natural Calibrated

Available Thickness Options

25 mm Thickness



- Garden pathways & walkways
- Residential landscaping
- Decorative paving & patios
- Light pedestrian areas

50 mm Thickness



- Driveways & motor courts
- Commercial projects
- Heavy pedestrian areas
- Public spaces & urban plazas

Natural Finish



The Authentic Stone Experience

Natural finish cobbles retain the original surface texture of the quarried stone. Each piece carries its own unique character, subtle grain variations, organic tones, and a tactile surface that cannot be replicated artificially.

Rustic Appearance: Organic texture and tonal variation per piece

Natural Anti-Slip: Textured surface ideal for wet and outdoor areas

Timeless Aesthetics: Blends with both traditional and contemporary design

No Chemical Treatment: Pure stone — no sealants or artificial coatings applied

Calibrated Finish

Precision-Processed for Modern Projects

Calibrated cobbles undergo precision mechanical processing to achieve a consistent and uniform thickness across every piece. This reduces installation time significantly and ensures a flat, level surface, ideal for large commercial and infrastructure projects.

Uniform Thickness: Every piece processed to the same precise dimension

Easier Installation: Reduces labour time and bed mortar adjustments

Better Level Alignment: Produces a flat, uniform finished surface

Reduced Laying Time: Ideal for large-scale commercial and export projects



Application Areas



Driveways



Walkways



Pool Surrounds



Courtyards



Public Landscaping



Resorts & Hotels

Application Areas



Commercial Spaces



Residential Exteriors



Garden Paths

Key Benefits



High Durability

Withstands heavyloads
and constant outdoor use



Weather Resistant

Frost, heat, and
moisture resistant



Natural Beauty

Timeless aestheticfor
any design style



Easy Maintenance

Periodic sweeping;
no recoating needed



Outdoor Suitable

Designed for all-climate
exterior use



Long Service Life

Decades of use without
replacement



Slip Resistant

Natural texture provides
underfoot safety



Export Quality

Meets international
standards for B2B buyers

Technical Specifications

Parameter	Specification
Product Name	4x4 InchCobblestone
Nominal Size	4" x4" (100 ×100 mm approx.)(10 x 10 cm approx.)
Shape	Square
Material	Phyllite Natural Stone
Available Thickness	25 mm 50 mm
Finish Options	Natural Finish Calibrated Finish
Installation Area	Outdoor paving, driveways, pathways, landscaping, public spaces
Recommended Usage	Residential, Commercial, Hospitality, Infrastructure, Export Projects
Maintenance	Periodic cleaning; sealer optional; no recoating required
Packing	Export-grade wooden crates with foam layering
Supply Origin	Direct from Mine, Beawar, Rajasthan, India

Packaging & Export



Export-Grade Packing

Wooden crates with protective foam layering prevent corner chipping.



Container Loading

FCL and LCL options available; ready for international freight.



Quality Inspection

Each batch inspected for size, thickness, and surface quality before dispatch.



Global Logistics

Reliable Worldwide Supply of Export-Quality Natural Stone Products



Quality Assurance



Material Selection —Stone blocks are selected at the mine face for consistent hardness, colour, and structural integrity.



Dimensional Accuracy —Every cobble is cut and processed to nominal tolerances using precision machinery.



Surface Inspection —Each piece is visually and tactilely inspected; pieces with surface defects are rejected.



Packing Standards —Export-grade wooden crates with internal foam padding ensure zero breakage in transit.



Export Compliance —Products are prepared to meet import standards for key markets including EU, GCC, US, and Australia.

Project Inspiration Gallery



Wherever quality paving matters; 4 Inch Square Cobble delivers lasting beauty and performance.



ULTIMATE ROCKSTONE EMPIRE

WALL CLADDING • FEATURE WALLS • FACADE SOLUTIONS



+91 95160 95360



+91 98763 80013



GT Road, Matwani, Moga,
Punjab, 142001